



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for

Limits Preview/Index History Clipboard Details

About Entrez

 Show:

Text Version

☐ 1: Res Vet Sci. 1981 May;30(3):261-5.

Related Articles, 1

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

Location and secretion of gastric intrinsic factor in the sheep.

McKay EJ, McLeay LM.

The site of production and secretion of intrinsic factor (IF) in the sheep has been studied using a human auto-antibody directed against IF. Immunofluorescent studies indicated the abomasal parietal cell was the source of IF in the sheep. Concentrations of IF in pure gastric secretion of sheep were relatively stable to 4 iu/ml and it was estimated that the total abomasal output of IF was 10,000 to 23,500 iu per 24 hours.

PMID: 7020016 [PubMed - indexed for MEDLINE]

 Show: [Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15: